

## **Ventilation Systems**









### The Height of Sophistication







Monogram® hoods offer an ideal combination of modern sophistication and innovation. The distinctive lines make a unique statement in any décor, and different levels of ventilation provide effective power for any cooking occasion.

Each stainless steel hood is meticulously crafted and hand-polished to perfection. No matter which model you choose, you'll have a dramatic hood that lends added dimension and distinction to your kitchen.

monogram.com

#### **Chimney Hoods** Wall-Mounted



**ZV950SDSS** 36" Wall-Mounted Dual-Blower Hood (Finished on three sides only.)



**ZV750SY** 36" Wall-Mounted Hood (Finished on three sides only.)



**ZV800SJSS** 36" Stainless Steel Chimney Hood with Retractable Glass Canopy (Under-cabinet or stand-alone installation)



**ZV800BJBB** 36" Black Chimney Hood with Retractable Glass Canopy (Under-cabinet or stand-alone installation)

#### Chimney Hoods Island



**ZV1050SFSS** 42" Island Dual-Blower Hood (Finished on all sides.)



**ZV850SB** 36" Island Hood (Finished on all sides.)





#### Chimney Hood General Features

**Sophisticated styling.** Each stainless steel hood is expertly crafted with uncompromising attention to detail.

Powerful ventilation. The multispeed fan blower provides the power necessary to capture the smoke and oily fumes produced by high-performance cooking equipment.

**Halogen lighting.** Six levels of intensity are offered for different needs, from accent to ambient settings.

**Easy maintenance.** Stainless steel filters can be easily removed for safe cleaning in a dishwasher.

The Monogram chimney hood, model ZV800SJSS, has a retractable glass ventilation canopy that can be extended to capture additional cooking fumes.

#### **Professional Hoods**



#### **Restaurant-Style Hoods**

**ZV48RSFSS** 48" Professional Restaurant-Style Hood (shown)

**ZV36RSFSS** 36" Professional Restaurant-Style Hood

**ZV30RSFSS** 30" Professional Restaurant-Style Hood



#### **Straight-Sided Hoods**

**ZV48SSFSS** 48" Professional Straight-Sided Hood (shown)

**ZV36SSFSS** 36" Professional Straight-Sided Hood

**ZV30SSFSS** 30" Professional Straight-Sided Hood



#### **Tapered-Sided Hoods**

**ZV48TSFSS** 48" Professional Tapered-Sided Hood (shown)

**ZV36TSFSS** 36" Professional Tapered-Sided Hood

**ZV30TSFSS** 30" Professional Tapered-Sided Hood



#### **Island Hoods**

ZV54ISHSS 54" Professional Island Hood (shown)
ZV42ISHSS 42" Professional Island Hood

#### **Professional Hood General Features**

Seamless appearance. The welded, double-wall construction offers a refined appearance.

**Powerful ventilation.** High-capacity air circulation (up to 1200 CFM) and variable speed control keep your kitchen free of fumes and excess heat.

**Brilliant task lighting**. Halogen lights illuminate the cooktop surface below and can be adjusted to complement the dining occasion.

Easy maintenance. Stainless steel filters can be easily removed for safe cleaning in a dishwasher.

**Duct covers.** Optional, standard and full-width covers are available in 6" and 12" heights (stackable).

Warming lights. Infrared lamps\* keep baked goods at ready-to-serve temperatures.

\*Wall-mounted models only.

#### Notes:

Restaurant-style hoods include stainless steel backsplash and warming shelf, and are shown with optional duct cover.

Straight-sided and Tapered-sided hoods are shown with optional duct cover.



The Monogram restaurant-style hood, model ZV48RSFSS, includes a backsplash and warming shelf for added visual appeal and convenience.



The professional straight-sided hood, model ZV30SSFSS, coordinates perfectly with the Monogram dual-fuel professional range.



The professional tapered-sided hood, model ZV48TSFSS, incorporates a variety of elegant angles for a dramatic, architectural effect.

# Telescopic Downdraft Vents



ZVB36SHSS 36" Stainless Steel, Telescopic Downdraft Vent ZVB30SHSS 30" Stainless Steel, Telescopic Downdraft Vent



**ZVB36WHWW** 36" White, Telescopic Downdraft Vent **ZVB30WHWW** 30" White, Telescopic Downdraft Vent



**ZVB36BHBB** 36" Black, Telescopic Downdraft Vent **ZVB30BHBB** 30" Black, Telescopic Downdraft Vent





Discreetly positioned behind the cooktop, the Monogram telescopic downdraft vent "telescopes" 8-1/2" above the cooktop then retracts nearly flush to the surface.

#### Telescopic Downdraft Vent General Features

**Powerful ventilation.** A rectangular vent captures smoke and odors at the cooking surface, and a variable speed fan exhausts the air at a rate of 500 CFM.

Removable filters. Filters can be easily removed for safe cleaning in your dishwasher.

**Optional blower kit.** Allows remote blower placement to reduce noise in the kitchen.

## **Pairing Hoods with Cooking Equipment**

Monogram hoods are designed to perfectly coordinate with Monogram ranges and cooktops. To learn which cooking products can be combined with the hood you have selected, refer to the charts below.

	Wall-Mounted			Island		Downdraft
	waii-wounted			Islaliu	ZVB36SH/WH/BH	
	ZV750SY	ZV950SDSS	ZV800SJ/BJ	ZV850SB	ZV1050SFSS	ZVB36SH/WH/BH ZVB30SH/WH/BH
Installation Combinations						
	All Non-Pro Cooktops	All 30" & 36" Cooktops and Ranges	All Non-Pro Cooktops and Ranges	All Non-Pro Cooktops	All 30" & 36" Cooktops and Ranges	All Non-Pro Cooktops
Style						
	Chimney	Chimney	Chimney (Slide-out)	Chimney	Chimney	Integrated
Width						
	36"	36"	36"	36"	42"	36"/30"
Blower Rating						
	360 CFM	700 CFM	500 CFM	360 CFM	1080 CFM	500 CFM 500 CFM
<b>Recirculating Option</b>						
	8'-10' Options	No	8'-10' Options	8'-10' Options	No	No
Vented Duct Cover Options						
	8', 9' Duct Cover <u>Included</u> ; 10' Ceiling Duct Cover Optional	8', 9' or 10' Duct Cover <u>Included;</u> 10' to 14' Duct Cover Optional	8' to 10' Duct Cover <u>Included;</u> Undercabinet Option	8', 9' or 10' Duct Cover <u>Required,</u> Must Order Separately	8' Duct Cover Included, 9' or 10' Duct Cover Optional	Indoor, Outdoor Remote Blower Options
Duct Size						
	6" Round	8" Round	6" Round	6" Round	8" Round	3-1/4" x 10" Rect.
Equivalent Duct Length						
	100'	100'	100'	100'	100'	150'

	Professional Wall-N	lounted	Professional Island		
	ZV48TSFSS ZV36TSFSS ZV30TSFSS	ZV48SSFSS ZV36SSFSS ZV30SSFSS	ZV48RSFSS ZV36RSFSS ZV30RSFSS	ZV421SHSS	ZV541SHSS
Installation Combinations					
	All Monogram Cooktops and Ranges	All Monogram Cooktops and Ranges	All Monogram Cooktops and Ranges	All 30" & 36" Cooktops	All Monogram Cooktops and Ranges
Style					
	Tapered	Straight	Restaurant	Tapered	Tapered
Width					
	48"/36"/30"	48"/36"/30"	48"/36"/30"	42"	54"
Blower Rating					
	1200/640/640 CFM	1200/640/640 CFM	1200/640/640 CFM	1200 CFM	1200 CFM
Recirculating Option					
	No	No	No	No	No
Vented Duct Cover Options					
	Optional 6' and 12' Duct Covers –Stackable	Optional 6' and 12' Duct Covers, Standard or Full-Width –Stackable	Optional 6' and 12' Duct Covers, Standard or Full-Width –Stackable	8' Duct Cover Included 9' to 10' Duct Cover Optional	8' Duct Cover Included 9' to 10' Duct Cover Optional
Duct Size					
	10" Round	10" Round	10" Round	10" Round	10" Round
Equivalent Duct Length					
	150'	150'	150'	150'	150'



GE Consumer & Industrial General Electric Company Louisville, Kentucky 40225

Product improvement is a continuing endeavor at GE. Therefore, materials, appearance and specifications are subject to change without notice.

© 2004 GE Company

Publication Number 24-M294 PC39450