### **T36BT920NS**

# 36-INCH STAINLESS STEEL BUILT-IN FRENCH DOOR BOTTOM FREEZER, PRE-ASSEMBLED



FREEDOM® COLLECTION, PROFESSIONAL SERIES HANDLES



Also Available In:

T36BT910NS – Masterpiece® Series Handles

#### **FEATURES & BENEFITS**

- Freedom® Hinge enables true flush design
- Open Door Assist automatic door opening with just a slight push or a pull
- Delicate Produce Bins for expanded storage
- ThermaFresh System, Humidity and Temperature controlled drawers
- SoftClose® Drawers and Produce Bins for easy and controlled storage
- Sleek clean design for the perfect symmetry when paired with additional columns
- TFT control panel managing all your columns functions

TEMPERATURE RANGES	
Refrigerator	35°F (2°C) to 46°F (8°C)
Freezer	-9°F (-23°C) to 7°F (14°C)
Super Freeze	-9°F (-23°C) for approximately 52 hours
Super Cool	35.5°F (2°C) for approximately 9 hours

GENERAL PROPERTIES		
Panel Ready	SS	
Reversible Door Swing	No	
SoftClose® Drawers	Yes	
Carbon Air Filter	Yes	
Lighting	New Bar ALL LED Sidewall and Theater Lighting	
Full Width / Adjustable Shelves	Yes / Yes	
Freezer Shelves	0	
Shelf Material	Glass w/Aluminum Profile	
Full Extension Drawers @ 115° Door Opening Angle	Yes	
Full Extension Drawers @ 90° Door Opening Angle	Yes	
Temperature / Humidity Controlled Drawer	0 / 1	
General Use Drawer	1	
Door / Gallon Bins	2/1	
Delicate Produce Bins	2 Small	
External LED Proximity Sensor	No	
Oversized Dispenser Opening	No	
Chilled Water, Crushed and Cubed Ice	No	
Rapid Water Replenishment System	No	
Ice Maker with Diamond Ice System	Yes	
Door Open Alarms	Yes	
Open Door Assist	Yes	
Special Modes	Yes	
CAPACITY		
Total Unit Gross Capacity (cu. ft.) – AHAM	19.8 cu. ft.	
Freezer Gross Capacity (cu. ft.)	5.8 cu. ft.	
Refrigerator Gross Capacity (cu. ft.)	14 cu. ft.	
TECHNICAL DETAILS		
Watts (W)	588 W	
Current (A)	15 A	
Volts (V)	120 V - 3 prong	
Frequency (Hz)	60 Hz	
Power Cord Length (in.)	139	
Plug Type	120V-3 Prong	
DIMENSIONS & WEIGHT		
Appliance Dimensions (H x W x D) (in.)	84" x 35 <b>3/4</b> " x 24 <b>3/4</b> "	
Required Cutout Size (H x W x D) (in.)	84" x 36" x 24" or 25"	
Net / Gross Weight (lbs)	527 / 573 lbs	
EFFICIENCY		
ENERGY STAR® Qualified	Yes	
Annual Energy Consumption	585	
*Height adjustable + / -1/2" (+ / -13 mm)		

<sup>\*</sup>Height adjustable + / -1/2" (+ / -13 mm)

Page 1 of 3 07 / 17

<sup>\*\*</sup>Sealed refrigeration system includes compressor, evaporator, condenser, dryer / strainer and connection tubing

### **T36BT920NS**


## 36-INCH STAINLESS STEEL BUILT-IN FRENCH DOOR BOTTOM FREEZER, PRE-ASSEMBLED




FREEDOM® COLLECTION, PROFESSIONAL SERIES HANDLES

WARRANTY	
Limited, Entire Appliance, Parts and Labor on Any Part of the Refrigerator that Fails Because of a Manufacturing Defect	2 Year
Limited Warranty for Sealed Refrigeration System*; Parts and Labor	3rd to 6th Year
Limited Warranty for Sealed Refrigeration System*; Parts Only	7th to 12th Year
Limited Warranty for Stainless Steel Rust-Through	Lifetime

#### **CUTOUT DIMENSIONS**



#### **TOP VIEW CLEARANCE**



\*\* door handle must be added to this dimension.

Page 2 of 3 07 / 17


## **T36BT920NS**

## 36-INCH STAINLESS STEEL BUILT-IN FRENCH DOOR BOTTOM FREEZER, PRE-ASSEMBLED



FREEDOM® COLLECTION, PROFESSIONAL SERIES HANDLES

#### **PANEL DIMENSIONS**



These warranties give you specific legal rights and you may have other rights that vary from state to state. Full warranty and limited warranty from date of installation. For complete warranty details, refer to your Use & Care manual, or ask your dealer.

Specifications are for planning purposes only. Refer to installation instructions and consult your countertop supplier prior to making counter opening. Consult with a heating and ventilation engineer for your specific ventilation requirements. For the most detailed information, refer to installation instructions accompanying product or write to Thermador indicating the model number. Specifications are correct at time of printing. Thermador reserves the right to change product specifications or design without notice. Some models are certified for use in Canada. Thermador is not responsible for products that are transported from the U.S. for use in Canada.

1 800 735 4328 | USA THERMADOR.COM | CANADA THERMADOR.CA | ©2017 BSH HOME APPLIANCES CORPORATION. ALL RIGHTS RESERVED.

Page 3 of 3 07 / 17