

DGC 7640 XL

24" Combi-Steam Oven - PureLine

Features:

- Combi-Steam Ovens: Steam ovens with full fledged oven function
- Lift up panel conveniently stores the water containers
- Dual Steam quickly and evenly distribute steam for perfect cooking results
- M-Touch S Display with Motion React Simple to use touch controls that react when approached
- Roast Probe Precise temperature control of food
- Mix & Match use your Miele@home app or the WiFi enabled appliance to create recipes for full meals

Included:


- 1 Universal Tray with Perfect Clean
- 1 Wire rack with Perfect Clean
- 1 perforated stainless steel container
- 1 solid stainless steel container



SPECIFICATIONS	
Overall Unit Dimensions	23 ⁷ / ₁₆ " (595 mm) W x 17 ¹⁵ / ₁₆ " (455.5 mm) H x 23 ¹ / ₄ " (590 mm) D
Niche	
Minimum Cabinet Niche Opening	22½" (562 mm) W x 17½6" (450 mm) H x 24" (610 mm) D
Electrical	
Electrical Requirements	208 - 240V, 60Hz, 20 Amps
Power Cord	NEMA 6-20 plug, 5 ft (1.52 m)
Shipping	
Shipping Weight	128 lbs (58 kg)
Shipping Dimensions	27 ⁷ / ₁₆ " (697 mm) W x 23 ⁷ / ₁₆ " (595 mm) H x 26 ¹¹ / ₁₆ " (677 mm) D




PRODUCT DIMENSIONS





E = Electrical connection

Míele

FLUSH CUTOUT DIMENSIONS









- A Cut-out (4" x 28" [100 mm x 720 mm]) in the bottom of the cabinet for the power cord and Ventilation
- ①- Electrical and water supplies are recommended to be placed in adjacent cabinetry.


 Additional cabinet depth is required when placing the electrical and water supplies behind the appliance.


Miele

PROUD CUTOUT DIMENSIONS









- A Cut-out (4" x 28" [100 mm x 720 mm]) in the bottom of the cabinet for the power cord and Ventilation
- ①- Electrical and water supplies are recommended to be placed in adjacent cabinetry.

 Additional cabinet depth is required when placing the electrical and water supplies behind the appliance.