

DGC 7670 XL

30" Combi-Steam Oven - PureLine

Features:

- Combi-Steam Ovens: Steam ovens with full fledged oven function
- · Lift up panel convinently stores the water containers
- Dual Steam quickly and evenly distribute steam for perfect cooking results
- M-Touch S Display with Motion React Simple to use touch controls that react when approached
- Roast Probe Precise temperature control of food
- Mix & Match use your Miele@home app or the WiFi enabled appliance to create recipes for full meals



Included:


- 1 Universal Tray with Perfect Clean
- 1 Wire rack with Perfect Clean
- 1 perforated stainless steel container
- 1 solid stainless steel container



ı	16	57	62	ı	U

SPECIFICATIONS			
Overall Unit Dimensions	29¹³/₁₅" (757 mm) W x 18²/₅" (479 mm) H x 23¹/₅" (587 mm) D		
Niche			
Minimum Cabinet Niche Opening	28¹/₂" (724 mm) W x 18¹/₂" (470 mm) H x 24" (610 mm) D		
Electrical			
Electrical Requirements	208 - 240V, 60Hz, 20 Amps		
Power Cord	NEMA 6-20 plug, 5 ft (1.52 m)		
Shipping			
Shipping Weight	143 lbs (65 kg)		
Shipping Dimensions	28 ⁵ / ₈ " (726 mm) W x 29 ¹ / ₄ " (743 mm) H x 32 ¹ / ₂ " (825 mm) D		


PRODUCT DIMENSIONS





E = Electrical connection

Míele

FLUSH CUTOUT DIMENSIONS









- A Cut-out (4" x 28" [100 mm x 720 mm]) in the bottom of the cabinet for the power cord and Ventilation
- ①- Electrical and water supplies are recommended to be placed in adjacent cabinetry.


 Additional cabinet depth is required when placing the electrical and water supplies behind the appliance.


Míele

PROUD CUTOUT DIMENSIONS









- A Cut-out (4" x 28" [100 mm x 720 mm]) in the bottom of the cabinet for the power cord and Ventilation
- ①- Electrical and water supplies are recommended to be placed in adjacent cabinetry.

 Additional cabinet depth is required when placing the electrical and water supplies behind the appliance.