DGC 7860 XXL
24" Combi-Steam Oven - PureLine and VitroLine

Features:

- Combi-Steam Ovens: Steam ovens with full fledged oven function
- XXL Cooking Compartment - Large enough to cook complete menus for up to 10 people
- Lift up panel - convinently stores the water containers
- M-Touch Display with Motion React - Simple to use touch controls that react when approached
- Roast Probe - Precise temperature control of food
- Mix & Match - use your Miele@home app or the WiFi enabled appliance to create recipes for full meals

Included:

- 1 Universal Tray with Perfect Clean
- 1 Wire rack with Perfect Clean
- 1 pair FlexiClip runners with Perfect Clean
- 2 perforated stainless steel containers
- 1 solid stainless steel container

MATERIAL #
11876980

SPECIFICATIONS	
Overall Unit Dimensions	23$^7/_{16}$" (595 mm) W x 23$^7/_{16}$" (596 mm H x 23$^1/_4$" (590 mm) D
Niche	
Minimum Cabinet Niche Opening	22$^1/_2$" (562 mm) W x 23$^1/_4$" (590 mm) H x 24" (610 mm) D
Electrical	
Electrical Requirements	208 - 240V, 60Hz, 20 Amps
Power Cord	NEMA 6-20 plug, 5 ft (1.52 m)
Shipping	
Shipping Weight	?? lbs (?? kg)
Shipping Dimensions	28$^7/_8$" (733 mm) W x 28$^3/_8$" (721 mm) H x 26$^5/_8$" (676 mm) D

PRODUCT DIMENSIONS

23 7/16" (595 mm)

23 7/16" (596 mm)

1 7/8" (48.4 mm)

23 1/16" (586.3 mm)

15 5/16" (388.8 mm)

11 7/8" (301.3 mm)

4 1/4" (108 mm)

21 11/16" (550.4 mm)

FLUSH CUTOUT DIMENSIONS

Front View

24 15/16"
(≥ 633 mm)

22 1/16"
(560 mm)

7/8" / 15/16"
(22* / 23.3** mm)

1/8"
(3 mm)

23 9/16"
(599 mm)

23 5/8"
(600 mm)

Side View

7/8 / 15/16"
(22* / 23.3** mm)

1/8"
(3 mm)

1/4"
(6.8 mm)

23 3/16"
(589.2 mm)

22 5/16"
(567 mm)

18 5/8"
(473.5 mm)

4 3/8"
(111.5 mm)

23 7/16"
(596 mm)

3/16"
(4 mm)

1/8"
(3 mm)

24 15/16"
(≥ 633 mm)

A

!

1 11/16"
(43 mm)

A - Cut-out (4" x 28" [100 mm x 720 mm]) in the bottom of the cabinet for the power cord and Ventilation
⚠ - Electrical and water supplies are recommended to be placed in adjacent cabinetry.
  Additional cabinet depth is required when placing the electrical and water supplies behind the appliance.

PROUD CUTOUT DIMENSIONS

Front View

24"
(≥ 610 mm)

23 1/4"
(590 mm)

22 1/8"
(562 mm)

Side View

7/8 / 15/16"
(22* / 23.3** mm)

1/4"
(6.8 mm)

23 3/16"
(589.2 mm)

22 5/16"
(567 mm)

18 5/8"
(473.5 mm)

4 3/8"
(111.5 mm)

23 7/16"
(596 mm)

3/16"
(4 mm)

24"
(≥ 610 mm)

A

!

1 11/16"
(43 mm)

A - Cut-out (4" x 28" [100 mm x 720 mm]) in the bottom of the cabinet for the power cord and Ventilation

ⓘ- Electrical and water supplies are recommended to be placed in adjacent cabinetry.
   Additional cabinet depth is required when placing the electrical and water supplies behind the appliance.