FRIGIDAIRE

GALLERY

FRIGIDAIRE

FRICIDAIRE

FRICIDAIRE

FRICIDAIRE

FRICIDAIRE

FRICIDAIRE

FRICIDAIRE

FRICIDAIRE

Cooking Controls

Air Fry Element

Timer On / Off

Vent Fan

Exterior

Door Swing

Lighting Type

Amps @ 120 Volts

Voltage Rating

Connected Load @ 120V

Surface Light System

Electrical Specifications

1.9 Cu. Ft. Over-the Range Microwave with Air Fry

Over-The-Range Microwave

Available Products: GMOS1968AF

Available Colors: Stainless Steel

Product Specifications

Oven

Convection

Yes

LED

Yes 14 3/16"

Glass

1.2 Watts

Version: 11/22

1,600 Watts

Air Fry	Yes	Convection Element	1,500 Watts
Clock	Yes	Convection Type	Fan
Convection	Yes	`	
Cooking Power	1000 Watts	Ventilation System	
Defrost Time	Yes	Ductless Vent	Yes
Defrost Weight	Yes	Ducted Vent	Yes
Number of Power Levels	9	Exhaust Fan Speeds	3
		Minimum Air Flow Capacity	105 CFM
Microwave Cooking		Maximum Air Flow Capacity	400 CFM
Beverage	Yes	Charcoal Filter Included	Yes
Melt / Soften	Yes	Grease Filter Included	Yes
Popcorn	Yes	Grease Filter Quantity	2
Potato	Yes	Grease Filter Dishwasher Safe	Yes
Reheat	Yes	Removable Grease Filter	Yes
Sensor Cooking	Yes		
Veggies	Yes	Microwave Control Features	
		+ 10 Seconds	Yes
Convection Cooking		+ 30 Seconds	Yes
Keep Warm	Yes	Quick Start	Yes - One Touch
Additional Settings		Display	
Child Lock	Yes	Control Location	Bottom
Clock Display On / Off	Yes	Display Interface Color	White
Clock Settings	Yes	Display Type	LED
Demo On / Off	Yes		
Setting Turntable On / Off	Yes	Internal Specifications	
Setting Weight Lb / Kg	Yes	Interior Color	Stainless Steel
Surface Cooking Light	Yes	Interior Light Quantity	1
Timer On / Off	Voc		

Interior Light Type

Turntable Diameter

Turntable Material

Rack

Interior Light Wattage

Yes

LED

15 Amps

1.5 kW

120 V

Side-Swing Door

1.9 Cu. Ft. Over-the Range Microwave with Air Fry	Over-The-Range Microwave
Available Products: GMOS1968AF	Available Colors: Stainless Steel
Version: 11/22	

Certifications	and	Approvals
----------------	-----	-----------

ADA Compliant	No

Dimensions and Volume

Height	17 1/8"
Width	30"
Depth	16 5/16"
Depth With Door 90° Open	44 15/16"
Microwave Interior Height	10 3/4"
Microwave Interior Width	21 5/16"
Microwave Interior Depth	14 3/4"
Microwave Capacity	1.9 Cu. Ft.
Included Accessories	
Air Fry Pan	Yes
Air Fry Tray	Yes
Convection Round Rack	Yes
Metal Rack	Yes

General Specifications

Prop 65 Label	Yes
Warranty - Labor	1 Year
Warranty - Parts	1 Year


Safety Certifications and Approvals UL Listed Yes 1.9 Cu. Ft. Over-the Range Microwave with Air Fry

Available Products: GMOS1968AF

Available Colors: Stainless Steel

Version: 11/22

Installation Diagram



- The space between the cabinets must be 30" (76.2 cm) wide and free of obstructions.
- If you are going to vent your microwave oven to the outside, see Hood Exhaust Section for exhaust duct preparation
- When installing the microwave oven beneath smooth, flat cabinets, be careful to follow the instructions on the top cabinet template for power cord clearance.
- As a guide to installation, see page 25 for Mounting Template Information.
- If the cabinet depth, including the cabinet doors, is more than 13", then the unit must be spaced out from wall using adequate materials supporting 150 lbs to allow proper top vent air exhaust/ intake.