Dual Fuel Range, 48", 6 Burners with Griddle

Series 9 | Professional

Stainless Steel | LPG



With intuitive touchscreen and specialized cooking functions across two ovens, this range is a stand-out addition to your kitchen.

- Guided cooking using your touchscreen makes it simple to cook by food, function or recipe
- Gas cooktop with a griddle and six burners that deliver up to 19,000 BTU for fast boiling
- 6.9 cu ft total oven capacity across two oven cavities
- Use the food probe to monitor your cooking real time

DIMENSIONS

Height	35 3/4 - 36 3/4"
Width	47 7/8"
Depth	29 1/8″

FEATURES & BENEFITS

COOK WITH CONFIDENCE

Our touchscreen interface provides an intuitive guided cooking experience that helps deliver perfect results, whether you've been cooking all your life or just starting out. Cook with a favorite method, a hero ingredient, or a go-to cooking function or recipe. The screen tilts for improved ergonomics and optimal visibility while cooking.

GENEROUS CAPACITY

Two independently operating cavities provide a large total capacity of 4.8 cu. ft. in the main cavity and 2.1 cu. ft. in the secondary. That's enough room for a 32 lb turkey in one oven, and your sides in the other.

COOKING FLEXIBILITY

No matter what you're cooking, you've got the right heat to get perfect results. Each of the 15 oven functions in the main cavity and 11 in the secondary have been extensively researched and carefully designed to cater to a broad range of dishes and cooking styles. The handy food probe helps you monitor your progress.

COOKTOP POWER

Sealed dual flow burners deliver cooktop power up to 19,000 BTU for seriously fast boiling, and precise 140°F full surface, low temperature cooking with the gentlest of flames.

DESIGN QUALITY

This range has craftsmanship in every detail, with real stainless

FISHER & PAYKEL

steel, cast-iron trivets, and beautifully weighted, halo illuminated dials. Each cavity features incandescent lights and full extension telescopic racks. From the robust legs to the powerful cooktop, this Range is built to last.

EASY TO CLEAN

The oven features a self-cleaning function and self-clean proof side racks, which don't need to be removed when using this function.

SPECIFICATIONS

Accessories	
Adjustable feet covers	•
Branded coin end cap	•
Square handle option	AH-R48

Burner ratings

19000 BTU
13000BTU
13000BTU
13000BTU
15000BTU
19000BTU
15000BTU
15000BTU
103000 BTU

Capacity

Shelf positions	5
Shelf positions	5

Cleaning

QUICK REFERENCE GUIDE > RDV3-486GD L

Controls	
Dial with illuminated halo	•
Dual control oven dials	•
High resolution display	•
Multi-language interface	•
Precise cooking with food	•
Recipe and food based	•
Sabbath mode	•
Tilting touch screen interface	•
Wi-Fi connectivity	
Fitting and pipe Supply Pressure (LPG)	½ NPT, min. %" ⊠ flex line 11″ to 14″ W.C
Oven features	
Concealed element	
Concealed element	•
Concealed element Electronic oven control	•
Concealed element Electronic oven control Food probe	
Concealed element Electronic oven control Food probe Full extension telescopic	• • • •
Concealed element Electronic oven control Food probe Full extension telescopic Internal light	
Concealed element Electronic oven control Food probe Full extension telescopic Internal light Large broil pan	
Concealed element Electronic oven control Food probe Full extension telescopic Internal light Large broil pan Self-clean proof side racks	•
Concealed element Electronic oven control Food probe Full extension telescopic Internal light Large broil pan Self-clean proof side racks True convection	•

Broil	•		
Classic bake	•		
Clean	•		
Convection Broil	•		
Convection bake	•		
Dehydrate	•		
Maxi Broil	•		
Number of functions	15		
Pastry bake	•		
Pizza bake	•		
Rapid proof	•		
Roast	•		
Slow cook	•		
True convection	•		
Warm			
Power requirements			
Rated current	50A		
Supply frequency	60Hz		
Supply voltage	120-240V		
Product dimensions			
Depth	29 1/8″		
Height	35 3/4 - 36 3/4"		
Width	47 7/8"		
Rangetop features			
Sealed range top	•		
e .			

Number of burners	6
Recommended Back Guards	Ventilation
Combustible situation	BGRV3-3048H
Non combustible situation	BGRV2-3048 / BGRV2-1248
Recommended hood	HCB48-12_N (48" Professiona
Safety	
ADA compliant	
Secondary oven features	
3/4 Extension racks	:
Concealed element	
Electronic oven control	
Food probe	
Internal light	
Secondary oven functions	
Air fry	
Bake	
Classic bake	
Convection bake	
Convection broil	
Maxi broil	
Number of secondary oven	1
Pastry bake	
Pizza bake	
Rapid proof	

QUICK REFERENCE GUIDE > RDV3-486GD L

Date:	07.	04	.2022	>	3
-------	-----	----	-------	---	---

Warm	•
Warranty	
Parts and labor	Limited 2 years
SKU	82386

The product dimensions and specifications in this page apply to the specific product and model. Under our policy of continuous improvement, these dimensions and specifications may change at any time. You should therefore check with Fisher & Paykel's Customer Care Centre to ensure this page correctly describes the model currently available. ? Fisher & Paykel Appliances Ltd 2020

Other product downloads available at fisherpaykel.com



- User Guide
- ↓ Installation Guide

24/7

A PEACE OF MIND SALE

24 Hours 7 Days a Week Customer Support T 1.888.936.7872 Wwww.fisherpaykel.com