

PROFESSIONAL QUALITY COOKING EQUIPMENT

CUISINE SERIES

36" Range with Six Sealed Gas Burners



ARR-636

(shown with optional island back and leg caps)

DESIGN



CLASS



FUNCTION



RANGETOP FEATURES

- Sealed burners deliver exceptional performance at every level setting and lift off to provide easy cleanup
- 3 sizes of burners to serve your everyday needs: 17,000 BTU (lg), 13,000 BTU (med), 9,000 BTU (sm)
- Variable infinite flame settings for all sealed top burners
- Fail-safe system ensures re-ignition in the event the flame goes out even on the lowest burner setting
- · Continuous and flush commercial-grade cast iron grates allow for easy transfer of pots and pans across the entire cooking surface
- Sealed Single Piece tooled porcelainized cook top can hold more than a gallon of spills
- Analog controls provide easy, push and turn operation ensuring child safety
- Blue LED light indicates oven functions
- Heavy metal die-cast black satin knobs with chrome bezels
- Stainless Steel Island Back Trim is included and installed

OVEN FEATURES

- Multiple functions include: Standard Bake, Innovection® Convection Bake, Infrared Broil and Fan mode
- Innovection® System with convection fan optimizes uniform air flow
- Two chrome racks glide at 5 (including base) cooking levels on heavy chrome side supports
- Accommodates full size commercial sheet pan
- · Front panel switch controls oven lighting for optimal visibility
- Oven front construction is a durable, precision-made one piece frame

INNOVECTION® CONVECTION OVEN TECHNOLOGY

Balanced turbulent heat distribution is essential when baking, roasting, and dehydrating food.

The American Range Innovection® convection oven technology features dual convection motors and louvered side panels to enhance uniform heat distribution throughout the large oven cavity.

The strategic placement of the dual Innovection® convection fans ensures consistent heat distribution even when challenged with cooking the largest turkey, ham or roast.



INNOVECTION® CONVECTION OVEN IS GREEN TECHNOLOGY

The highly efficient design of the Innovection® Convection Oven uses 19% less gas versus a standard convection oven.

TECHNICAL SPECIFICATIONS

O!! O C't	r a CILIT				
Overall Oven Capacity	5.3 CU. FT.				
Oven Dimensions	32"W x 19" D x 15" H				
Surface Burner Rating	17,000 BTU (lg) - 13,000 BTU (md) - 9,000 BTU (sm)				
Infrared Broiler	17,000 BTU				
Oven Bake Burner	28,000 BTU				
	ARR-636 115,000 BTU	6 burners			
Total Gas Connection Rating	ARR-436GD 104,000 BTU	4 burners and griddle			
	ARR-436GR 100,000 BTU	4 burners and grill			
Gas Supply	7" W.C. Natural, 11" W.C. Propane				
Electrical Supply	120 VAC 15 AMP 60 Hz Single Phase				
Shipping Weight	440 Lbs				

ACCESSORIES & OPTIONS

Island back (standard)	ARR-36SIB-C	S/S Leg Caps (2)	ARR-2LC-C	12'' Griddle Plate	ARR-PGP12-C	Wok Adapter ARR-WOK-C
Island back (welded)	ARR-36IB-C	Casters (Set of 2)	ARR-2CAS-C	24'' Griddle Plate	ARR-PGP24-C	
4" Stub Back	ARR-364SB-C	12'' Cutting Board	ARR-CUTB-12-C	11" Chrome Flat Griddle Plate	MC11-FS-C	
20" High back w/ Shelf	ARR-3621HBS-C	12" Griddle Cover	ARR-GDSCOV12-S-C	11" Chrome Grooved Griddle Pl	ate MC11-GG-C	
S/S Curb base	ARR-36CB-C	12" Grill Cover	ARR-GRCOV12-S-C	Porcelainized Broiler Pan	R31005	

CUSTOMIZE YOUR RANGE: Now you can customize your American Range to match your kitchen setting. Pick from numerous colors and finishes to give your range a unique one-of-a-kind look. For more details regarding color and finish options, go to our website: www.americanrange.com. **DESIGNER COLORS DESIGNER FINISHES**





Raven Black







Dark Blue Alpine White Sandstone Gun Metal Grey

ARR-636





Porcelain



Bronze

Jitterbug S/S



Bronze

Hammered Brushed S/S Polished S/S

Textured Flat Black



Powder

Coat Biscuit



Custom

Finishes Available

N = Natural gas

Must ship from factory with proper gas type. L = LP Gas Must provide N or L after model number for type of gas needed.

Example: ARR-304




ARR-636





ARR-436GD



ARR-436GR







ISLAND OR PENINSULA INSTALLATIONS 10" MINIMUM CLEARANCE FROM BACK OF RANGETO COMBUSTIBLE SURFACE ISLAND TRIM IS 0". CLEARANCETO NON COMBUSTIBLE SURFACE NO SIDEWALL ABOVE COOKING SURFACE G E LOCATION OF GAS AND ELECTRICAL SUPPLY

