

Gas Range, 48", 6 Burners with Griddle

Series 7 | Professional

Stainless Steel | Natural gas



With Professional styling, this large range has six burners delivering powerful high heat, a griddle and two gas ovens.

- Griddle with burners that deliver up to 23,500 BTU heat per burner, for seriously fast boiling
- Expansive 7.7 cu ft total oven capacity across two oven cavities
- Non-tip full-extension shelves in main cavity for safe removal of hot dishes
- Made from quality materials and real stainless steel

DIMENSIONS

| | |
|--------|------------------|
| Height | 35 3/4 - 36 3/4" |
| Width | 47 7/8" |
| Depth | 29 1/8" |

FEATURES & BENEFITS

GENEROUS CAPACITY

Featuring a generous total capacity of 7.7 cu ft, with enough room to fit a 32 lb turkey. The griddle plate allows you to cook several foods at once.

COOKTOP POWER

Sealed Dual Flow Burners™ deliver cooktop power up to 23,500 BTU for seriously fast boiling right down to a precise 140°F full surface simmer with the gentlest of flames.

COOKING FLEXIBILITY

The cooktop is designed for easy access to any burner with grates you can smoothly slide pots across. The oven is large enough to hold full size baking sheets.

DESIGN QUALITY

This range has craftsmanship in every detail, with real stainless steel, cast-iron trivets, and titanium coated dials. Each cavity features incandescent lights and full extension telescopic racks. From the robust legs to the powerful legs to the powerful cooktop, the Range is built to last.

EASY TO CLEAN

Cleaning up spills is effortless with the continuous, porcelain basepan. Your cooktop simply needs a quick wipe to keep it looking good as new.

TOTAL CONTROL

Precise control across high and low settings is delivered through the halo-illuminated cooktop dials.

SPECIFICATIONS

Accessories

| | |
|----------------------|--------|
| Square handle option | AH-R48 |
|----------------------|--------|

Burner ratings

| | |
|----------------------|------------|
| Maximum burner power | 23500 BTU |
| Power back centre | 18500BTU |
| Power back left | 18500BTU |
| Power back right | 18500BTU |
| Power front centre | 18500BTU |
| Power front left | 23500BTU |
| Power front right | 18500BTU |
| Power griddle | 16500BTU |
| Total cooktop power | 132500 BTU |

Capacity

| | |
|-----------------|---|
| Shelf positions | 5 |
| Shelf positions | 5 |

Cleaning

| | |
|------------------------------|---|
| Easy clean porcelain basepan | • |
|------------------------------|---|

Controls

| | |
|-------------------------|---|
| Metal illuminated dials | • |
|-------------------------|---|

Gas Requirements

| | |
|-------------------------------|----------------------------|
| Fitting and pipe | ½ NPT, min. 5/8" flex line |
| Supply Pressure (natural gas) | 6" to 9" W.C |

Oven features

- Broil pan •
- Electronic oven control •
- Full extension telescopic •
- Infrared Broiler •
- Internal light •

Oven functions

- Bake •
- Broil •
- Convection bake •
- Number of functions **4**
- Slow cook •

Oven performance

| | |
|-----------------------------|------------------|
| Bake power | 19700BTU |
| Broil | 18500 BTU |
| Secondary oven - Bake power | 18000BTU |

Power requirements

| | |
|------------------|-------------|
| Rated current | 15A |
| Supply frequency | 60Hz |
| Supply voltage | 120V |

Product dimensions

| | |
|--------|-------------------------|
| Depth | 29 1/8" |
| Height | 35 3/4 - 36 3/4" |
| Width | 47 7/8" |

Rangetop features

- Sealed range top •
- Vent trim included •

Rangetop Performance

| | |
|-------------------|----------|
| Number of burners | 6 |
|-------------------|----------|

Recommended Back Guards Ventilation

| | |
|----------------------------|-------------------------------------|
| Combustible situation | BGRV3-3048H |
| Non combustibile situation | BGRV2-3048 / BGRV2-1248 |
| Recommended hood | HCB48-12_N (48" Professional |

Safety

- ADA compliant •

Secondary oven features

| | |
|-------------------------|----------|
| 3/4 Extension racks | 2 |
| Electronic oven control | • |
| Internal light | • |

Secondary oven functions

- Bake •
- Convection bake •
- Number of secondary oven **4**
- Proof •
- Slow cook •

Warranty

| | |
|-----------------|------------------------|
| Parts and labor | Limited 2 years |
|-----------------|------------------------|

SKU **82383**

The product dimensions and specifications in this page apply to the specific product and model. Under our policy of continuous improvement, these dimensions and specifications may change at any time. You should therefore check with Fisher & Paykel's Customer Care Centre to ensure this page correctly describes the model currently available. ? Fisher & Paykel Appliances Ltd 2020

Other product downloads available at fisherpaykel.com



User Guide



Service & Warranty



Installation Guide



Data Sheet Professional Range



A PEACE OF MIND SALE

24 Hours 7 Days a Week Customer Support

T 1.888.936.7872 **W**www.fisherpaykel.com